



The **NEW** Easi-Heat i,  
an exclusive to APP

## The **NEW** Easi-Heat i, only for APP

- 5 year warranty
- Combi **25 & 29**, system **20 & 25**
- Primary heat exchanger in stainless steel
- Compact dimensions (reduced height and width)
- Easy to use user digital interface
- Revised pipework layout (more common in UK, easier boiler swaps)
- Click fit flue (streamlined branch stock)
- Low operational noise
- Increased DHW performances vs previous model
- **Hydrogen 20% blend ready**
- OpenTherm embedded
- Bluetooth 7 day clock as optional accessory (using **easi-connect** app for iOS & Android)



## Vokèra Key Features Easi-Heat Plus Ci vs Easi-Heat i C

Brand	
Range	
Model	
Warranty (standard)	Years
Efficiency	
ErP Space Heating	%
Domestic Hot Water	
DHW ΔT 35°C	l/m
Heat Exchanger	
Primary heat exchanger	
Features	
LPG Version	
Click Fit Flue Connection	
Hydrogen Ready 20% Blend	
Universal (DIN) Pipework Layout	
Dimensions	
Height x Width x Depth	mm
Case Volume	m <sup>3</sup>
Controls	
LCD Control Panel (Fault Codes)	
7day Electronic Timer	
RF Programmable Thermostat	
Smart / Wi-Fi Connected	
Weather Compensation	
OpenTherm	

● = Standard

○ = Optional

E&OE

Vokèra Easi-Heat Plus	Vokèra Easi-Heat Plus
25Ci	29Ci
5	5
93	93
10.2	11.9
Aluminium / Cast	Aluminium / Cast
●	●
–	–
–	–
–	–
715 x 405 x 248	715 x 405 x 248
0.072	0.072
–	–
●	●
–	–
–	–
●	●
●	●

Vokèra Easi-Heat i	Vokèra Easi-Heat i
25C	29C
5	5
93	93
10.2	12.3
Stainless Steel	Stainless Steel
●	●
●	●
●	●
●	●
700 x 400 x 275	700 x 400 x 275
0.077	0.077
●	●
○	○
○	○
○	○
●	●
●	●

